


# Trigonometry in right-angled triangles

## A LEVEL LINKS

Scheme of work: 4a. Trigonometric ratios and graphs

### Key points

- In a right-angled triangle:
  - the side opposite the right angle is called the hypotenuse
  - the side opposite the angle  $\theta$  is called the opposite
  - the side next to the angle  $\theta$  is called the adjacent.




- In a right-angled triangle:
  - the ratio of the opposite side to the hypotenuse is the sine of angle  $\theta$ ,  $\sin \theta = \frac{\text{opp}}{\text{hyp}}$
  - the ratio of the adjacent side to the hypotenuse is the cosine of angle  $\theta$ ,  $\cos \theta = \frac{\text{adj}}{\text{hyp}}$
  - the ratio of the opposite side to the adjacent side is the tangent of angle  $\theta$ ,  $\tan \theta = \frac{\text{opp}}{\text{adj}}$
- If the lengths of two sides of a right-angled triangle are given, you can find a missing angle using the inverse trigonometric functions:  $\sin^{-1}$ ,  $\cos^{-1}$ ,  $\tan^{-1}$ .
- The sine, cosine and tangent of some angles may be written exactly.

	0	30°	45°	60°	90°
sin	0	$\frac{1}{2}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{3}}{2}$	1
cos	1	$\frac{\sqrt{3}}{2}$	$\frac{\sqrt{2}}{2}$	$\frac{1}{2}$	0
tan	0	$\frac{\sqrt{3}}{3}$	1	$\sqrt{3}$	


## Examples

**Example 1** Calculate the length of side  $x$ .  
Give your answer correct to 3 significant figures.




$\cos \theta = \frac{\text{adj}}{\text{hyp}}$ $\cos 25^\circ = \frac{6}{x}$ $x = \frac{6}{\cos 25^\circ}$ $x = 6.620\ 267\ 5\dots$ $x = 6.62\ \text{cm}$	<ol style="list-style-type: none"> <li>1 Always start by labelling the sides.</li> <li>2 You are given the adjacent and the hypotenuse so use the cosine ratio.</li> <li>3 Substitute the sides and angle into the cosine ratio.</li> <li>4 Rearrange to make <math>x</math> the subject.</li> <li>5 Use your calculator to work out <math>6 \div \cos 25^\circ</math>.</li> <li>6 Round your answer to 3 significant figures and write the units in your answer.</li> </ol>
--	--

**Example 2** Calculate the size of angle  $x$ .  
Give your answer correct to 3 significant figures.



$\tan \theta = \frac{\text{opp}}{\text{adj}}$ $\tan x = \frac{3}{4.5}$ $x = \tan^{-1} \left( \frac{3}{4.5} \right)$ $x = 33.690\ 067\ 5\dots$ $x = 33.7^\circ$	<ol style="list-style-type: none"> <li>1 Always start by labelling the sides.</li> <li>2 You are given the opposite and the adjacent so use the tangent ratio.</li> <li>3 Substitute the sides and angle into the tangent ratio.</li> <li>4 Use <math>\tan^{-1}</math> to find the angle.</li> <li>5 Use your calculator to work out <math>\tan^{-1}(3 \div 4.5)</math>.</li> <li>6 Round your answer to 3 significant figures and write the units in your answer.</li> </ol>
--	---

**Example 3** Calculate the exact size of angle  $x$ .




<p> <math display="block">\tan \theta = \frac{\text{opp}}{\text{adj}}</math> <math display="block">\tan x = \frac{\sqrt{3}}{3}</math> <math display="block">x = 30^\circ</math> </p>	<ol style="list-style-type: none"> <li>1 Always start by labelling the sides.</li> <li>2 You are given the opposite and the adjacent so use the tangent ratio.</li> <li>3 Substitute the sides and angle into the tangent ratio.</li> <li>4 Use the table from the key points to find the angle.</li> </ol>
--	---


## Practice

1 Calculate the length of the unknown side in each triangle. Give your answers correct to 3 significant figures.


a




b




c




d



e




f




- 2 Calculate the size of angle  $x$  in each triangle. Give your answers correct to 1 decimal place.


a




b



c




d



- 3 Work out the height of the isosceles triangle. Give your answer correct to 3 significant figures.

**Hint:**


Split the triangle into two right-angled triangles.



- 4 Calculate the size of angle  $\theta$ . Give your answer correct to 1 decimal place.


**Hint:**

First work out the length of the common side to both triangles, leaving your answer in surd form.




- 5 Find the exact value of  $x$  in each triangle.


a




b



c



d



# The cosine rule


## A LEVEL LINKS

**Scheme of work:** 4a. Trigonometric ratios and graphs

**Textbook:** Pure Year 1, 9.1 The cosine rule

## Key points


- $a$  is the side opposite angle  $A$ .
- $b$  is the side opposite angle  $B$ .
- $c$  is the side opposite angle  $C$ .



- You can use the cosine rule to find the length of a side when two sides and the included angle are given.
- To calculate an unknown side use the formula  $a^2 = b^2 + c^2 - 2bc \cos A$ .
- Alternatively, you can use the cosine rule to find an unknown angle if the lengths of all three sides are given.
- To calculate an unknown angle use the formula  $\cos A = \frac{b^2 + c^2 - a^2}{2bc}$ .


## Examples

**Example 4** Work out the length of side  $w$ .  
Give your answer correct to 3 significant figures.



	<ol style="list-style-type: none"> <li>1 Always start by labelling the angles and sides.</li> <li>2 Write the cosine rule to find the side.</li> <li>3 Substitute the values <math>a</math>, <math>b</math> and <math>A</math> into the formula.</li> <li>4 Use a calculator to find <math>w^2</math> and then <math>w</math>.</li> <li>5 Round your final answer to 3 significant figures and write the units in your answer.</li> </ol>
$a^2 = b^2 + c^2 - 2bc \cos A$ $w^2 = 8^2 + 7^2 - 2 \times 8 \times 7 \times \cos 45^\circ$ $w^2 = 33.804\ 040\ 51\dots$ $w = \sqrt{33.804\ 040\ 51}$ $w = 5.81 \text{ cm}$	

**Example 5** Work out the size of angle  $\theta$ .  
Give your answer correct to 1 decimal place.




$\cos A = \frac{b^2 + c^2 - a^2}{2bc}$ $\cos \theta = \frac{10^2 + 7^2 - 15^2}{2 \times 10 \times 7}$ $\cos \theta = \frac{-76}{140}$ $\theta = 122.878\ 349\dots$ $\theta = 122.9^\circ$	<ol style="list-style-type: none"> <li>1 Always start by labelling the angles and sides.</li> <li>2 Write the cosine rule to find the angle.</li> <li>3 Substitute the values <math>a</math>, <math>b</math> and <math>c</math> into the formula.</li> <li>4 Use <math>\cos^{-1}</math> to find the angle.</li> <li>5 Use your calculator to work out <math>\cos^{-1}(-76 \div 140)</math>.</li> <li>6 Round your answer to 1 decimal place and write the units in your answer.</li> </ol>
---	--


## Practice

6 Work out the length of the unknown side in each triangle.  
Give your answers correct to 3 significant figures.


a




b







c




d



- 7 Calculate the angles labelled  $\theta$  in each triangle. Give your answer correct to 1 decimal place.



- 8 a Work out the length of WY. Give your answer correct to 3 significant figures.
- b Work out the size of angle WXY. Give your answer correct to 1 decimal place.



# The sine rule


## A LEVEL LINKS

**Scheme of work:** 4a. Trigonometric ratios and graphs

**Textbook:** Pure Year 1, 9.2 The sine rule

## Key points


- $a$  is the side opposite angle  $A$ .  
 $b$  is the side opposite angle  $B$ .  
 $c$  is the side opposite angle  $C$ .



- You can use the sine rule to find the length of a side when its opposite angle and another opposite side and angle are given.
- To calculate an unknown side use the formula  $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$ .
- Alternatively, you can use the sine rule to find an unknown angle if the opposite side and another opposite side and angle are given.
- To calculate an unknown angle use the formula  $\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$ .

## Examples


- Example 6** Work out the length of side  $x$ .  
Give your answer correct to 3 significant figures.



$\frac{a}{\sin A} = \frac{b}{\sin B}$ $\frac{x}{\sin 36^\circ} = \frac{10}{\sin 75^\circ}$ $x = \frac{10 \times \sin 36^\circ}{\sin 75^\circ}$ $x = 6.09 \text{ cm}$	<ol style="list-style-type: none"> <li>1 Always start by labelling the angles and sides.</li> <li>2 Write the sine rule to find the side.</li> <li>3 Substitute the values <math>a</math>, <math>b</math>, <math>A</math> and <math>B</math> into the formula.</li> <li>4 Rearrange to make <math>x</math> the subject.</li> <li>5 Round your answer to 3 significant figures and write the units in your answer.</li> </ol>
--	--







**Example 7** Work out the size of angle  $\theta$ .  
Give your answer correct to 1 decimal place.







$\frac{\sin A}{a} = \frac{\sin B}{b}$ $\frac{\sin \theta}{8} = \frac{\sin 127^\circ}{14}$ $\sin \theta = \frac{8 \times \sin 127^\circ}{14}$ $\theta = 27.2^\circ$	<ol style="list-style-type: none"> <li>1 Always start by labelling the angles and sides.</li> <li>2 Write the sine rule to find the angle.</li> <li>3 Substitute the values <math>a</math>, <math>b</math>, <math>A</math> and <math>B</math> into the formula.</li> <li>4 Rearrange to make <math>\sin \theta</math> the subject.</li> <li>5 Use <math>\sin^{-1}</math> to find the angle. Round your answer to 1 decimal place and write the units in your answer.</li> </ol>
--	---

## Practice


9 Find the length of the unknown side in each triangle.  
Give your answers correct to 3 significant figures.



- 10 Calculate the angles labelled  $\theta$  in each triangle.  
Give your answer correct to 1 decimal place.



- 11 a Work out the length of QS.  
Give your answer correct to 3 significant figures.
- b Work out the size of angle RQS.  
Give your answer correct to 1 decimal place.



# Areas of triangles


## A LEVEL LINKS

**Scheme of work:** 4a. Trigonometric ratios and graphs

**Textbook:** Pure Year 1, 9.3 Areas of triangles


## Key points


- $a$  is the side opposite angle  $A$ .  
 $b$  is the side opposite angle  $B$ .  
 $c$  is the side opposite angle  $C$ .
- The area of the triangle is  $\frac{1}{2}ab \sin C$ .



## Examples

**Example 8** Find the area of the triangle.




 <p>Area = <math>\frac{1}{2}ab \sin C</math></p> <p>Area = <math>\frac{1}{2} \times 8 \times 5 \times \sin 82^\circ</math></p> <p>Area = 19.805 361...</p> <p>Area = 19.8 cm<sup>2</sup></p>	<ol style="list-style-type: none"> <li>1 Always start by labelling the sides and angles of the triangle.</li> <li>2 State the formula for the area of a triangle.</li> <li>3 Substitute the values of <math>a</math>, <math>b</math> and <math>C</math> into the formula for the area of a triangle.</li> <li>4 Use a calculator to find the area.</li> <li>5 Round your answer to 3 significant figures and write the units in your answer.</li> </ol>
---	---


## Practice

- 12 Work out the area of each triangle.  
Give your answers correct to 3 significant figures.


a



b




c



- 13 The area of triangle XYZ is  $13.3 \text{ cm}^2$ .  
Work out the length of XZ.

**Hint:**


Rearrange the formula to make a side the subject.




## Extend

- 14 Find the size of each lettered angle or side.  
Give your answers correct to 3 significant figures.

a




b




**Hint:**

For each one, decide whether to use the cosine or sine rule.


c



d



- 15 The area of triangle ABC is  $86.7 \text{ cm}^2$ .  
 Work out the length of BC.  
 Give your answer correct to 3 significant figures.



## Answers

- 1**   **a**   6.49 cm                      **b**   6.93 cm                      **c**   2.80 cm  
       **d**   74.3 mm                        **e**   7.39 cm                      **f**   6.07 cm
- 2**   **a**   36.9°                            **b**   57.1°                            **c**   47.0°                            **d**   38.7°
- 3**   5.71 cm
- 4**   20.4°
- 5**   **a**   45°                                **b**   1 cm                                **c**   30°                                **d**    $\sqrt{3}$  cm
- 6**   **a**   6.46 cm                            **b**   9.26 cm                            **c**   70.8 mm                            **d**   9.70 cm
- 7**   **a**   22.2°                                **b**   52.9°                                **c**   122.9°                                **d**   93.6°
- 8**   **a**   13.7 cm                              **b**   76.0°
- 9**   **a**   4.33 cm                              **b**   15.0 cm                              **c**   45.2 mm                              **d**   6.39 cm
- 10**   **a**   42.8°                                **b**   52.8°                                **c**   53.6°                                **d**   28.2°
- 11**   **a**   8.13 cm                                **b**   32.3°
- 12**   **a**   18.1 cm<sup>2</sup>                            **b**   18.7 cm<sup>2</sup>                            **c**   693 mm<sup>2</sup>
- 13**   5.10 cm
- 14**   **a**   6.29 cm                              **b**   84.3°                              **c**   5.73 cm                              **d**   58.8°
- 15**   15.3 cm